

CYTOLOGY OF DYSPLASIA, CARCINOMA IN SITU, AND  
INVASIVE CARCINOMA OF THE UTERINE CERVIX

Stanley F. Patten, Jr., M.D., Ph.D., FIAC

Professor and Chairman

Director, Cytopathology Laboratory and School of Cytotechnology

Department of Pathology

University of Rochester Medical Center

Rochester, New York

## SLIDE INDEX

1. Marked dysplastic reaction (keratinizing type) originating in mature stratified squamous epithelium with superficial hyperkeratosis. x 160.
2. Moderate dysplastic reaction (metaplastic type) arising in immature squamous epithelium. x 312.
3. Marked dysplastic reaction (keratinizing type) involving epithelium of ectocervix. x 125.
4. Moderate dysplastic reaction (nonkeratinizing type) originating in mature stratified squamous epithelium. x 160.
5. Dysplastic reaction involving ectocervical mucosa with coexisting Herpes simplex genitalis. x 40.
6. Marked dysplastic reaction (metaplastic type) involving endocervical canal. x 312.
7. Moderate dysplastic reaction (metaplastic type) involving endocervical canal. x 312.
8. Slight dysplastic reaction (metaplastic type) involving endocervical canal. x 310.
9. Dysplastic reaction involving metaplastic epithelium with morphologic features similar to those observed in podophyllin-induced reactions. x 312.
10. Podophyllin-like dysplastic reaction involving immature squamous metaplasia. x 312.
11. Slight dysplastic reaction (keratinizing type) with surface parakeratosis. x 200.
12. "Koilocytotic atypia" (slight dysplasia) of ectocervical mucosa. x 160.
13. Anatomical distribution of dysplasia. White shaded area represents metaplastic component.
14. Age distribution of 1,070 women with dysplasia.
15. Mean ages at detection of dysplasia, in situ and invasive carcinoma of uterine cervix.
16. Sheet of abnormal cells originating in dysplasia (nonkeratinizing type) involving mature squamous epithelium. x 500.
17. Sheet of abnormal cells originating in dysplasia (metaplastic type) involving immature squamous epithelium. x 640.
18. Abnormal polygonal cells originating from dysplastic reaction (nonkeratinizing type) involving mature squamous epithelium. x 500.
19. Mature abnormal cells originating in dysplastic reaction (nonkeratinizing type) involving mature squamous epithelium. x 500.
20. Round and oval abnormal cells originating from dysplastic reaction (metaplastic type) involving immature squamous epithelium. x 640.
21. Round abnormal cells derived from dysplastic reaction (metaplastic type). x 640.
22. Mixed population of abnormal cells suggesting an origin from dysplastic reactions involving both mature and immature epithelia. x 500.



23. Mixed population of abnormal cells suggesting an origin from dysplastic reactions involving both mature and immature epithelia. x 500.
24. Abnormal cells with elipsoidal configurations derived from dysplasia of uterine cervix. x 500.
25. Abnormal cells with irregular configuration (caudate form) originating in dysplastic reaction (keratinizing type) of ectocervix. x 500.
26. Abnormal cells with irregular configuration (elongate form) originating in dysplastic reaction (keratinizing type) involving mature squamous mucosa. x 500.
27. Abnormal cells with irregular configuration (caudate form) originating from dysplastic reaction (keratinizing type) involving ectocervix. x 800.
28. Prominent perinuclear vacuolization in cells originating from dysplastic reaction (nonkeratinizing type) involving mature squamous epithelium. x 640.
29. Diffuse vacuolization of cytoplasm in abnormal cells originating from dysplastic reaction (metaplastic type). x 640.
30. Abnormal squamous cell with cytoplasmic ballooning, multinucleation and cytoplasmic inclusions from patient with folic acid deficiency. x 500.
31. Abnormal cells originating in postradiation dysplasia six years after completion of radiotherapy for carcinoma of the uterine cervix. x 500.
32. Carcinoma in situ (small cell type) of uterine cervix. x 200.
33. Carcinoma in situ (small cell type) of uterine cervix. x 200.
34. High mitotic activity and coarse chromatin pattern in carcinoma in situ (small cell type). x 500.
35. Carcinoma in situ (small cell type) with focal microinvasion. x 500.
36. Anatomical distribution of carcinoma in situ of uterine cervix.
37. Anatomical distribution of dysplasia and carcinoma in situ in relation to the distribution of simple columnar and stratified squamous epithelium in the uterine cervix.
38. Carcinoma in situ (large cell type) of uterine cervix. x 312.
39. Carcinoma in situ (large cell type) of uterine cervix. x 312.
40. Developmental carcinoma in situ (atypical squamous metaplastic type). x 400.
41. Developmental carcinoma in situ (atypical reserve cell hyperplasia type). x 312.
42. Morphogenesis of carcinoma in situ: partial replacement of dysplastic reaction by primitive cell line. x 400.
43. Morphogenesis of carcinoma in situ: almost complete replacement of dysplastic reaction by primitive cell line. x 160.

44. Metaplastic dysplasia of uterine cervix with transformation of deep cells to cancer morphology. Reaction may explain occasional development of invasive cancer without significant surface reaction. x 200.
45. Microinvasive carcinoma of uterine cervix. x 40.
46. Possible mechanism of morphogenesis of carcinoma in situ (large cell type).
47. Possible mechanism of morphogenesis of carcinoma in situ (small cell type) within pre-existing reserve cell hyperplasia.
48. Possible mechanism of morphogenesis of carcinoma in situ (small cell type) by induction of atypical reserve cell hyperplasia.
49. Age distribution of 217 women with carcinoma in situ of uterine cervix.
50. Syncytium of abnormal cells originating in carcinoma in situ (large cell type). x 500.
51. Syncytium of abnormal cells derived from carcinoma in situ (intermediate type). x 500.
52. Abnormal cells originating in carcinoma in situ (small cell type). x 500.
53. Syncytia of abnormal cells derived from carcinoma in situ (small cell type) with early microinvasion. x 500.
54. Abnormal cells derived from coexisting dysplasia (nonkeratinizing type) and carcinoma in situ (intermediate type). x 500.
55. "Impending prophase nucleus" in syncytium of abnormal cells derived from carcinoma in situ (intermediate type). x 800.
56. Syncytium of abnormal cells derived from carcinoma in situ (intermediate type). x 500.
57. Isolated abnormal cells derived from relatively rare form of carcinoma in situ with morphologic features reminiscent of marked metaplastic dysplasia. x 500.
58. Syncytium of abnormal cells derived from carcinoma in situ (small cell type) in menopausal woman. x 500.
59. Syncytium of abnormal cells derived from carcinoma in situ in post-menopausal woman. x 500.
60. Abnormal cells derived from developmental stage of carcinoma in situ. x 500.
61. Superficial squamous cells and abnormal cells derived from developmental stage of carcinoma in situ. x 500.
62. Five-year survival in composite group of 420 women with cervical cancer treated by radiotherapy.
63. Squamous cell carcinoma of uterine cervix (keratinizing type). x 25.
64. Squamous cell carcinoma of uterine cervix (keratinizing). x 312.
65. Pleomorphic surface reaction overlying keratinizing squamous cell carcinoma. x 312.



66. Surface reaction overlying keratinizing squamous cell carcinoma. x 125.
67. Squamous cell carcinoma of uterine cervix (large cell nonkeratinizing type). x 25.
68. Squamous cell carcinoma of uterine cervix (nonkeratinizing type). x 312.
69. Large cell, nonkeratinizing carcinoma of uterine cervix. x 312.
70. Cancer-stromal junction in nonkeratinizing squamous cell carcinoma. x 312.
71. Carcinoma of uterine cervix (small cell type). x 125.
72. Small cell carcinoma of uterine cervix. x 312.
73. Small cell carcinoma of uterine cervix. x 500.
74. Small cell carcinoma of uterine cervix. x 500.
75. Anatomical distribution of early invasive carcinoma of the uterine cervix.
76. Morphogenesis of squamous cell carcinoma of uterine cervix.
77. Host response or tumor diathesis in presence of invasive cancer of uterine cervix. x 500.
78. Content of abnormal cells in presence of invasive carcinoma of uterine cervix. x 50.
79. Abnormal cells originating in squamous cell carcinoma (keratinizing type). x 50.
80. Abnormal cells derived from keratinizing squamous cell carcinoma depicting caudate configuration and prominent fibrillar apparatus. x 800.
81. Malignant tumor cell with caudate configuration originating in keratinizing squamous cell carcinoma. x 500.
82. Malignant tumor cells with elongate configuration derived from keratinizing squamous cell carcinoma. x 500.
83. Abnormal squamous cells derived from keratinizing squamous cell carcinoma. x 500.
84. Malignant tumor cells originating in large cell nonkeratinizing squamous cell carcinoma. x 500.
85. Aggregates of tumor cells derived from nonkeratinizing squamous cell carcinoma. x 500.
86. Syncytium of malignant tumor cells originating in nonkeratinizing squamous cell carcinoma. x 500.
87. Malignant tumor cells originating in large cell nonkeratinizing squamous cell carcinoma. x 500.
88. Malignant tumor cells derived from nonkeratinizing squamous cell carcinoma. x 500.
89. Syncytium of malignant tumor cells derived from small cell carcinoma of uterine cervix. x 500.
90. Malignant tumor cells derived from small cell carcinoma of uterine cervix. x 500.

91. Malignant tumor cells originating in small cell carcinoma. x 500.
92. Malignant tumor cells derived from small cell carcinoma. x 500.
93. Abnormal cells per slide in dysplasia, in situ and invasive carcinoma.
94. Areas of abnormal cells derived from dysplasia, in situ and invasive carcinoma.
95. Nuclear areas of cells derived from dysplasia, in situ and invasive carcinoma.
96. Relative nuclear area of cells derived from dysplasia, in situ and invasive carcinoma.
97. Mean cell areas for cells derived from benign proliferative reactions, dysplasia, in situ and invasive carcinoma.
98. Mean nuclear areas of cells derived from benign proliferative reactions, dysplasia, in situ and invasive carcinoma.
99. Mean relative nuclear areas for cells derived from benign proliferative reactions, dysplasia, in situ and invasive carcinoma.
100. Arrangement of abnormal cells derived from dysplasia, in situ and invasive carcinoma.
101. Configuration of abnormal cells derived from dysplasia, in situ and invasive carcinoma.
102. Cytoplasmic staining reaction of abnormal cells derived from dysplasia, in situ and invasive carcinoma.
103. Configuration of nuclei in cells derived from dysplasia, in situ and invasive carcinoma.
- ~~104. Chromatin pattern in nuclei of cells derived from dysplasia, in situ and invasive carcinoma.~~
105. Comparative morphologic features of keratinizing, large cell nonkeratinizing and small cell invasive carcinoma of uterine cervix.

